

SOURCEWELL CONTRACT NO. 101221-GPV

**GapVax<sup>®</sup>**



---

**PREPARED BY**

Plumber's Depot

Jose Martin - Jose.martin@plumbersdepotinc.com

---

**PREPARED FOR**

Don C.

City of Thousand Oaks

**QUOTE**

**GapVax<sup>®</sup>**



**QUOTE ID**  
**23-1059**

**UPDATED:**  
**7/12/2023**



## 2024 MC1510-3S4S COMBINATION JET/VAC

QUOTE ID: 23-1059

August 14, 2023

NOTE: THE GAPVAX MC UNIT MAY EXCEED FEDERAL BRIDGE ALLOWABLE WEIGHTS WHEN LOADED WITH WATER, OR DEBRIS, AND/OR BOTH WATER AND DEBRIS COMBINED. PLEASE CONSULT FACTORY.

	OPTION DESCRIPTION	NOTES	QTY
CHA001	WESTERN STAR 47X-SF (6 X 4) - 455 HP - 66,000 LB. GVWR - AUTO	MODEL YEAR 2024	1
	WHITE CAB COLOR		1
	CURRENT CARB EMISSIONS, CALIFORNIA (50-STATE APPROVED EMISSIONS)		1
	STOCK CHASSIS ARE SUBJECT TO PRIOR SALE, LIMITED QUANTITY ARE AVAILABLE		1
STD	10 USABLE YARD DEBRIS TANK MADE OF 3/16" ASTM A-572 GRADE 50 EXTEN STEEL		STANDARD
STD	FULL-OPENING REAR TAILGATE		STANDARD
STD	STAINLESS STEEL TAILGATE SEALING ROD		STANDARD
STD	FOUR HYDRAULIC REAR DOOR LOCKS		STANDARD
STD	DUAL TAILGATE LIFT CYLINDERS		STANDARD
STD	FRONT MOUNTED HOIST CYLINDER, POWER UP AND DOWN, 55,000 LB CAPACITY		STANDARD
STD	THREE TIE-OFF ANCHORS ON TOP OF BODY		STANDARD
STD	FIVE YEAR WARRANTY ON DEBRIS TANK AGAINST RUST THROUGH, DISTORTION AND CRACKS		STANDARD
STD	THREE TIE-OFF ANCHORS ON TOP OF THE BODY 6' APART		STANDARD
A1B	STAINLESS DEBRIS BODY FLUSH OUT SYSTEM		1
A2C	DRAIN AT BOTTOM OF TAILGATE - 6" BRASS KNIFE VALVE WITH PNEUMATIC ACTUATOR VALVE IS NOT 100% LEAK PROOF		1
A3-CS	FLOAT TYPE LIQUID LEVEL INDICATOR ON SIDE OF DEBRIS TANK		1
A12A	FILTER SCREEN FOR DRAIN VALVE (LONG BOX)	REQUIRES A2	1
A17	UPGRADE TO STAINLESS STEEL DEBRIS TANK		1
A20	UPGRADE TO 1/4" DEBRIS TANK		1
A21B	ADD FOLDING LADDER EXTENSION	REQUIRES A21	1
A44	PNEUMATIC TAILGATE PROP (IN ADDITION TO STANDARD TAILGATE PROP ROD)		1
STD	1500 GALLON WATER TANK MADE OF 3/16" 304 STAINLESS STEEL		STANDARD
STD	4" HIGH ANTI-SIPHON RING WITH (4) 2-1/2" HOLES		STANDARD
STD	WATER TANK LEVEL SIGHT TUBE ON CURBSIDE		STANDARD
STD	DRAIN VALVE AT BOTTOM OF WATER TANK		STANDARD
STD	3" FILL LINE WITH 2-1/2" FIRE HOSE CONNECTION CURBSIDE		STANDARD
STD	3" WATER STRAINER WITH STAINLESS STEEL SCREEN ON WATER TANK FILL LINE		STANDARD
STD	3" SUPPLY LINE TO WATER PUMP MOUNTED AT REAR HINGE PIN		STANDARD
STD	FIVE YEAR WARRANTY ON WATER TANK AGAINST RUST THROUGH, DISTORTION AND CRACKS		STANDARD
B10	ADDITIONAL 3" FILTER BETWEEN WATER TANK AND PUMP (3" Y-STRAINER)		1
B23B	STAINLESS BAFFLES IN THE WATER TANK		1
B30	UPGRADE TO BUTTERFLY VALVE IN 3" SUPPLY LINE		STANDARD

STD	TRUE 8" DIAMETER VACUUM SYSTEM		STANDARD
STD	VACUUM PUMP DRIVEN VIA MID-SHIP MOUNTED SPLIT SHAFT TRANSFER CASE GEARBOX	(PTO)	STANDARD
STD	NOISE & VIBRATION DAMPENING MOUNTS ON VACUUM PUMP AND TRANSFER CASE		STANDARD
STD	NOISE ATTENUATED VACUUM PUMP DISCHARGE SILENCER WITH RAIN CAP AND DRAIN		STANDARD
STD	24" CENTRIFUGAL CYCLONE SEPARATOR WITH 20" CHAMBER		STANDARD
STD	DUAL STAINLESS STEEL SHUTOFF FLOAT BALLS MOUNTED AT THE REAR OF DEBRIS TANK		STANDARD
STD	STAINLESS STEEL VEE-WIRE SAFETY SCREEN		STANDARD
STD	6" SAFETY VACUUM RELIEF		STANDARD
STD	PANIC SWITCH FUNCTION FOR VACUUM		STANDARD
C17	UPGRADE TO HIBON 840 VACUUM PUMP 3,850 CFM AND 27" HG	REQUIRES OPTIONS A20 AND C18	1
STD	TRI-PLEX WATER PUMP SYSTEM		STANDARD
STD	800 PSI WASHDOWN CIRCUIT WITH 50' X 1/2" HOSE		STANDARD
STD	AIR PURGE SYSTEM FOR PRIMARY CIRCUIT		STANDARD
STD	LOW POINT DRAIN VALVES ON WATER LINES		STANDARD
STD	SET WASHDOWN CIRCUIT TO FULL WORKING PRESSURE	OPTION D4 IS RECOMMENDED	1
D3B	GENERAL MKS "2" SERIES WATER PUMP RATED AT 80 GPM @ 2500 PSI	REQUIRES G2 OPERATING SYSTEM	1
D-GPVC	VULKAN VIBRATION DAMPENING COUPLER - WATER PUMP		REQUIRED
D7A	50' X 1/2" HAND GUN REEL FOR WASHDOWN CIRCUIT		1
STD	8" FRONT MOUNTED TELESCOPING BOOM WITH 26' REACH AND 180 DEG. ROTATION		STANDARD
STD	180 DEGREE POWER ROTATION VIA WORM DRIVE		STANDARD
STD	DUAL 4" LIFT CYLINDERS		STANDARD
STD	CAB PROTECTION RACK		STANDARD
E6	REMOTE LUBE FOR BOOM LIFT AND ROTATION		1
STD	FRONT FRAME MOUNTED HOSE REEL WITH 180 DEGREE ARTICULATION		STANDARD
STD	HOSE REEL RATED FOR 800' OF HOSE AND 3,000 PSI		STANDARD
STD	EXTERIOR HOSE EXPANSION RIBS		STANDARD
F1C	DIGITAL FOOTAGE COUNTER - SHAFT-MOUNTED		1
F6	UPGRADE FRONT HOSE REEL TO POWER ARTICULATE VIA HYDRAULICS		1
F11	AUTOMATIC HOSE LEVEL WINDER (INCLUDES "J-HOOK" STLYE HOSE GUIDE)		1
STD	CAB-MOUNTED AIR SHIFT CONTROLS FOR BLOWER, HYDRAULICS, AND WATER PUMP		STANDARD
STD	CONTROL PANEL MOUNTED AT FRONT HOSE REEL		STANDARD
STD	OPERATOR CONTROL PANEL INCLUDES GUAGES FOR ENGINE, HYDRAULICS, VACUUM, AND WATER PUMP		STANDARD
STD	PANIC SWITCH TO RELIEVE WATER PRESSURE AND VACUUM		STANDARD
G2E	G2E CONTROL SYSTEM WITH PV780 DISPLAY INCLUDES:		1
	LOW WATER SHUTDOWN PROTECTION		1
	HIGH WATER TEMPERATURE SHUTDOWN PROTECTION		1
	ENGINE OVERSPEED PROTECTION		1
	ON-SCREEN DIAGNOSTICS FOR WATER, PTO AND ENGINE LEVELS		1
	TEMPERATURE AND PRESSURE LEVELS FOR VACUUM, WATER, HYDRAULICS		1
	PROVISION FOR INCLUDING DIGITAL FOOTAGE COUNTER ON SCREEN	F1C NOT INCLUDED	1
	E-STOP FOR WATER VACUUM AND HYDRAULICS		1

	TRANSMISSION CONTROL FOR SHIFTING OUTSIDE OF THE CAB		1
	OMNEX TD1140 WIRELESS SYSTEM WITH INTEGRAL 50' PENDANT INCLUDES:	<b>OPTION G2E INCLUDES THIS WIRELESS SYSTEM</b>	1
	HOSE SPOOL IN/OUT WITH SPEED CONTROL		1
	FRONT HOSE REEL WATER ON/OFF, PRESSURE ON/OFF		1
<b>G2E-CAB</b>	DISPLAY MODULE IN CAB FOR SYSTEM ENGAGEMENTS AND CONTROLS	<b>SELECT WITH OPTION G2E ONLY - REQUIRES OPTION G2E</b>	1
<b>G4</b>	HIGH DEBRIS LEVEL LIGHT & ALARM	REQUIRES A3	1
<b>G6</b>	BLOWER TEMPERATURE GUAGE WIRED TO VACUUM RELIEF	<b>NOT AVAILABLE WITH OPTION C17</b>	1
STD	TRUCK-LITE LED RUNNING (MARKER) LIGHTS		STANDARD
STD	LED STOP/TAIL/TURN LIGHT WITH POLISHED STAINLESS STEEL BOXES		STANDARD
H5C	(2) BOOM WORK LIGHTS - HIGH INTENSITY HELLA PB1500 LED WORK LIGHTS (PN: LHT022406)	POWER BEAM / SPOT LIGHT (RATED 1300 LUMEN EACH)	1
H6B	(2) REAR WORK LIGHTS - HELLA LED WORK LIGHTS (PN: LHT022429)		1
H7BA	(2) SIDE WORK LIGHTS - HELLA LED WORK LIGHTS (PN: LHT022429) (1 PER SIDE)		1
H19D	<b>CODE 3</b> REAR SUPER LED FLASHERS - 6 LIGHT HEADS		1
	3 ON EACH SIDE REAR (1 @ 45 DEGREES)		1
<b>H22</b>	REAR ARROW LIGHT - LOW PROFILE LED ARROW STICK ( <b>CLASS-1</b> (SAE J595))	WHELEN TAM85 OR EQUAL	1
H39B	TWO HIGH INTENSITY LED WORK LIGHTS (HELLA PB1500) ON FRONT HOSE REEL TO SHINE INTO MANHOLE		1
STD	25' FIRE HOSE BASKET		STANDARD
I6E-CS	ALUMINUM, 36" WIDE X 24" TALL X 24" DEEP, MOUNTED ON THE CURBSIDE		1
I7B-DS	36" TOOL BOX - ALUMINUM, 36" WIDE X 24" TALL X 24" DEEP, MOUNTED ON THE DRIVER'S SIDE		1
I14C	TRAFFIC CONE HOLDER ON CURBSIDE		1
<b>I16B</b>	WHEEL CHOCK HOLDER (PER SIDE) - CURBSIDE		1
I22	UPGRADE TUBE TRAYS TO POLISHED STAINLESS STEEL		1
<b>I26B</b>	TWO BUMPER TOOL BOXES - ALUMINUM, 16" HIGH X 12" WIDE X 18" DEEP WITH FOLD DOWN DOOR		1
STD	DOT LIGHTING / FENDERS / MUD FLAPS / TAILGATE SAFETY PROP, ICC LIGHTS		STANDARD
STD	REMOTE ACTUATED BODY SAFETY PROP		STANDARD
STD	70 GALLONS AW-46 HYDRAULIC OIL, LEVEL/TEMPERATURE GAUGE, SHUTOFF ON SUCTION		STANDARD
STD	REAR BUMPER, TRIANGLE KIT, FIRE EXTINGUISHER, BACKUP ALARM		STANDARD
STD	ALLISON 10-BOLT PTO UPGRADE		STANDARD
J000	MID-SHIP MOUNTED (SPLIT-SHAFT) TRANSFER CASE WITH TOP DISCONNECT		1
J0B	FRONT BUMPER - CALIFORNA FRONT BUMPER		1
J3	TOW HOOKS FRONT		1
STD	PAINTED WITH PPG URETHANE PAINT		STANDARD
STD	PAINT BODY WHITE		STANDARD
STD	PAINT FRAME AND PARTS BLACK		STANDARD
STD	PAINT HOSE REEL AND BOOM BLACK		STANDARD
STD	FLEET FINISH		STANDARD
K6	CONSPICUITY REFLECTIVE TAPE		1
STD	25 FEET OF VACUUM TUBING (5) AND CLAMPS		STANDARD
STD	TIGER TAIL HOSE GUIDE		STANDARD
STD	TWO BLUE STAR SEWER CLEANING NOZZLES		STANDARD
M3	FILL HOSE 25' X 2 1/2"		1

M5C	LEADER HOSE 25' X 1"	1
M9H	1" PIRANHA SEWER HOSE - 3,000 PSI X 800 FT PLASTIC (BLUE) (PN: CAT022382)	1
M29B	TWO CAMERA - BACK-UP CAMERA SYSTEM WITH 7" COLOR MONITOR (RV-505A), INCLUDES DVR-916 REAR AND DVR-921 FRONT CAMERA	1



## PRICING SUMMARY

<b>PRICE OF BASE UNIT WITH OPTIONS:</b>		<b>\$ 679,998.71</b>
<b>SOURCWell DISCOUNT:</b>		<b>\$ 9,376.97</b>
<b>DELIVERY:</b> (\$1,000.00 MINIMUM)	<b>@ \$4.00 PER MILE</b>	<b>\$ 10,000.00</b>
<b>ESTIMATED SUBTOTAL:</b>		<b>\$ 680,621.74</b>
<b>SALES TAX:</b>		<b>\$ 48,620.08</b>
<b>TOTAL PRICE (PER UNIT):</b>		<b>\$ 729,241.82</b>

ALL ORDERS ARE SUBJECT TO CURRENT PRICES IN EFFECT AT THE TIME OF ORDER ACKNOWLEDGMENT. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. PRICING DISCLAIMER: WHILE WE MAKE EVERY EFFORT TO MAINTAIN AND PRESERVE PRICING ACCURACY, ALL COST INCREASES INCURRED AFTER ORDER ACKNOWLEDGMENT FOR MAJOR COMPONENTS AND GOVERNMENT MANDATED REQUIREMENTS, TARIFFS, AND RAW MATERIAL SURCHARGES WILL BE PASSED THROUGH AND ADDED TO CUSTOMER INVOICES WITH OR WITHOUT NOTICE. ALTHOUGH THE INFORMATION ON THIS QUOTATION IS PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AT THE TIME OF PRINTING, WE MAKE NO REPRESENTATIONS OR WARRANTIES AS TO THE COMPLETENESS OR ACCURACY OF THIS INFORMATION. WE RESERVE THE RIGHT TO CHANGE, DELETE, OR OTHERWISE MODIFY THE PRICING INFORMATION WHICH IS REPRESENTED HEREIN WITHOUT ANY PRIOR NOTICE. WE CAREFULLY CHECK PRICING SPECIFICATIONS, BUT OCCASIONALLY ERRORS CAN OCCUR, THEREFORE WE RESERVE THE RIGHT TO CHANGE SUCH PRICES WITHOUT NOTICE. WE DISCLAIM ALL LIABILITY FOR ANY ERRORS OR OMISSIONS IN THE MATERIALS. IN NO EVENT WILL WE BE RESPONSIBLE FOR ANY DAMAGES OF ANY NATURE WHATSOEVER FROM THE RELIANCE UPON INFORMATION FROM THESE MATERIALS. PLEASE CHECK YOUR ORDER TO CONFIRM YOUR PRICING INFORMATION

SIGNATURE

DATE

Please return a signed copy to Jose.martin@plumbersdepotinc.com

# GapVax Incorporated

## Terms and Conditions of Sale

1. **ORDERS.** All orders are subject to acceptance by an officer of GapVax Inc. Orders for products not regularly carried in stock or requiring special engineering or manufacture are in every case subject to approval by an officer of GapVax.
2. **PERFORMANCE.** GapVax Inc. shall not be liable for failure to complete the contract in accordance with its terms if failure is due to wars, strikes, fires, floods, accidents, delays in transportation or other causes beyond its reasonable control.
3. **EXPERIMENTAL WORK.** Work performed at customer's request such as sketches, drawings, design, testing, fabrication and materials shall be charged at current rates.
4. **SKETCHES, ENGINEERING DRAWINGS, MODELS** and all preparatory work created or furnished by GapVax Inc. shall remain its exclusive property; and no use of same shall be made, nor may ideas obtained therefrom be used, except with the consent of and on terms acceptable to GapVax Inc.
5. **CANCELLATION.** Orders regularly entered cannot be canceled except upon terms that will compensate GapVax Inc. for any loss or damage sustained.
6. **SHIPMENT.** All proposals are based on continuous and uninterrupted delivery of the order upon completion unless specifications distinctly state otherwise. In the event that an agreement is reached for GapVax Inc. to store completed items, they will be immediately invoiced to the customer and become due and payable. Storage shall be at the risk of the customer and GapVax Inc. shall be liable only for ordinary care of the property.
7. **CUSTOMER'S PROPERTY.** GapVax Inc. shall charge the customer at current rates, for handling and storing customer's property (e.g., truck chassis) held for more than thirty (30) days after notification of availability for shipment. All customer's property, or third party's property, that is stored by GapVax Inc. is at the customer's or other party's risk. GapVax is not liable for any loss or damage thereto caused by fire, water, corrosion, theft, negligence, or any cause beyond its reasonable control.
8. **PRICES.** All orders are subject to current prices in effect at the time of order acknowledgment. Prices and Specifications are Subject to Change Without Notice. **PRICING DISCLAIMER:** While we make every effort to maintain and preserve pricing accuracy, prices are subject to change without notice. Although the information on this quotation is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete, or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order to confirm your pricing information.
9. **F.O.B. POINT.** Unless otherwise stated, all prices listed are F.O.B. point of manufacture.
10. **TAXES.** Unless specifically stated, prices listed do not include Federal, State, City or other excise occupation, sales, use or similar taxes which are extra and are to be added at rates in effect at time of shipment. If federal Excise Taxes are included or listed on the reverse side of this paper, they are stated at the rates and regulations in effect at the time this order is written and are subject to revision in accordance with rates and regulations in effect at time of shipment.
11. **PRODUCT IMPROVEMENT.** GapVax Inc. reserves the right to change manufacturing specifications and procedures without incurring any responsibility for modifying previously shipped products.
12. **MOUNTING PRICES.** Mounting prices assumes normal factory installation on a truck chassis suitable for the unit purchased. Relocation of batteries, gas tanks, mufflers, air tanks, etc. will be an additional charge, billed at the standard factory labor rate.
13. **WARRANTY.** GapVax Inc. warrants its products to be free from defects in material and workmanship, subject to the limitations and conditions set forth in its current published warranty but makes no warranty of merchantability or fitness for any particular purpose. GapVax Inc. does not assume liability for any loss of product, time or any direct, indirect, or consequential damage, losses or delay or any nature whatsoever. No warranty, express or implied, is made or authorized to be made and no obligation is assumed or authorized to be assumed with respect to products of GapVax Inc. other than that set forth in the current, published warranty. It is to be understood that the acceptance this order is expressly conditioned upon your acceptance of GapVax Inc. standard written warranty for the products sold hereunder. GapVax Inc. hereby disclaims any responsibility or liability for any consequential losses delays or downtime resulting from orders hereunder the use of its products. GapVax does not and will not warranty any tank coating or tank lining. PTO damage is not covered when the PTO protection system or low water shut down system is not selected / installed / and operational. GapVax does not and will not warranty any water system component(s) that show any sign or indication of ice or freeze damage.
14. This agreement shall be construed according to the laws of the State of Pennsylvania. Our failure at any time to exercise any right we may have under the agreement shall not constitute a waiver thereof nor prejudice our right to enforce same thereafter.
15. This order, including the above terms and conditions contains the complete and final agreement between the parties hereto and no other agreement in any way modifying any of said terms and conditions will be binding on us unless in writing and agreed to by authorized representative of this company.